


# WPC COLOR

# Liquid Color for Emulsion Paint

### 大恭化學工業股份有限公司

#### TAH KONG CHEMICAL INDUSTRIAL CORP.

7TH FLOOR 778, PA TE ROAD, SEC.4, TAIPEI, REPUBLIC OF CHINA 台北市八徳路四段七七八號 新矽谷大樓七樓 TEL:(02)27859081-7 TLX:25217 TKCPIGMENT CABLE:TKCHEMIAL TAIPEI FAX:(02)27850907





### WPC Color Introduction:

WPC is Eco-Friendly color paste and it does not contain toxic substances such as APEO \heavy metals \hat Formaldehyde \hat Azo Dyes and VOC . It can be widely applied to different kinds of Acrylic Resins and has good weather resistance.

Meanwhite, this product is very compatible with water based paints as well.

## WPC COLOR FOR PAINT

Color shades :2%	Product	CI.Pigment	Lightfastnesss	Acidfastnesss	Alkalinefastnesss
TiO2:38%	產品名稱	顏料代號	耐光性	耐酸性	耐 鹼性
	YELLOW 1P001	Yellow 184	7-8	5	5
	YELLOW 1P002	Yellow 3	6	4-5	4-5
	YELLOW 1P003	Yellow 151	7-8	5	5
	YELLOW 1P004	Yellow 74	. 6	5	5
	YELLOW 1P005	Yellow 154	7-8	5	5
	YELLOW 1P006	Yellow 83	6-7	5	5
	YELLOW 1P007	Yellow 191	7-8	4-5	3
	YELLOW 1P008	Yellow 110	7-8	5	5
	YELLOW 1P009	Yellow 42	7-8	5	5
	ORANGE 1P010	Orange 64	7	4-5	5
	RED 1P011	Red 254	7-8	5	5
	RED 1P012	Red 170	6-7	5	4-5
	RED 1P013	Red 208	6	5	4-5

## WPC COLOR FOR PAINT

Color shades :2%	Product	CI.Pigment	Lightfastnesss	Acidfastnesss	Alkalinefastnesss
TiO2:38%	產品名稱	顏料代號	耐光性	耐酸性.	耐 鹼性
	RED 1P014	Violet 19	8	5	5
	PINK 1P015	Red 122	7-8	5	5
	BORDEAUX 1P016	Violet 19	7-8	5	5
	BROWN 1P017	Brown 25	8	5	5
	BROWN 1P018	Red 101	7-8	5	5
	VIOLET 1P019	Violet 23	7	5	5
	BLUE 1P020	Blue 15:3	7-8	5	5
	BLUE 1P021	Blue 15:0	6-7	5	5
	BLUE 1P022	Blue 29	7-8	5	5
	GREEN 1P023	Green 7	7	5	5
	BLACK 1P024	Black 7	8	5	5
	WHITE 1P025	White 6	7	5	5



#### Remark:

- 1. APEO free.
- 2. Azo Dyes free.Comply with EN 14362-1:2012 Regulation.
- 3. Extractable heavy metals. Comply with EN 71 III Regulation.
- 4. Light fastness: 1(the worst)  $\rightarrow$  8(the best), Physical and chemical fastness: 1(the worst)  $\rightarrow$  5(the best)
- 5. The above data and results are based on controlled or lab work and must be confirmed by Buyer by testing for the intended conditions of use.